NEW STRAIN RELIEF ATTACHMENT

NEW ADVANCEMENT IN GROUNDING CLAMPS
FROM SALISBURY

Salisbury, continuing to exceed industry standards.

Salisbury's New Strain Relief Attachment is easier and safer. Salisbury has begun redesigning all grounding clamps to include a multi-functional strain relief sleeve attachment, to replace the current hose clamp attachment. The new attachment includes a holding clip with two bolted holes to easily attach and adjust the strain relief sleeve. The new design will eliminate the concerns of any possible sharp edges found on the hose clamp attachment. The new design will also accept all strain relief sleeves used on grounding cables terminated with non-shrouded ferrules. The new clips can be used on cables from #2 to 4/0 (for #2 cable, flip the clip).

Salisbury Grounding Products meet ASTM F855 requirements.

Salisbury's complete line of grounding equipment offers solutions for utility and industrial applications. Whether you prefer complete assemblies or individual components, Salisbury has a product to meet your needs.

OLDER STRAIN RELIEF ATTACHMENT
HOSE CLAMP



NEW STRAIN RELIEF ATTACHMENT
HOLDING CLIP WITH BOLTS



Listed on the next pages are the clamp bodies that have been completed and those in process for 2008. Each ground clamp part number that is affected by the body change is listed below the clamp body description. ▶

NOTE: The newly designed grounding clamp will be available once the current inventory of the older strain relief attachment is gone.

SALISBURY
by Honeywell

101 E. Crossroads Pkwy., Ste. A Bolingbrook, IL 60440 toll free ph (USA):877.406.4501 toll free fax (USA):866.824.4922 ph:630.343.3800
Salisbury by Honeywell © 2009 Honeywell International Inc. All Rights Reserved.

NEW STRAIN RELIEF ATTACHMENT

NEW ADVANCEMENT IN GROUNDING CLAMPS

FROM SALISBURY

GROUNDING CLAMPS THAT INCLUDE NEW DESIGN

BODY	"C" CLAMP BODY ONLY, ALUM, 2" & 2.4"	
	Cat. No.	Description
	1921	CLAMP, GROUNDING, ALUM. C, SERRATED, 2.4" MAX.
	1922	CLAMP, MOUNTED, GROUNDING, ALUM. C, SERRATED, 2.4" MAX.
	20690	CLAMP, GROUNDING, C SER, 2.4" /WO SRS
	20867	CLAMP GROUNDING C SER 2.4 CBL PENETRATING SERRATED JAW
	20882	CLAMP, GROUNDING, ALUM C, SERRATED, 2.4" ACME W/ SRS
	20882GP	CLAMP, GROUNDING, C SER, 2" GP
	21077	CLAMP, GROUNDING, ALUM "C" SERRATED, 2" CURVED JAW W/O SRS
	21965	CLAMP, GROUNDING, C SER, 2" MTD-6'
	4390	CLAMP, GROUNDING, ALUM. C, SERRATED, 2.4" MAX. OVAL EYE
	9973	CLAMP, GROUNDING, C, SER, 2.4" T-HNDL

BODY	CLAMP BODY ONLY, ALUM, "C", 2" & 2.4"	
	Cat. No.	Description
	1923	CLAMP, GROUNDING, ALUM. C, SMOOTH, 2.4" MAX.
	1924	CLAMP, MOUNTED, GROUNDING, ALUM. C, SMOOTH, 2.4" MAX.
	21074	CLAMP, GROUNDING, ALUM "C" SMOOTH, 2.0" CURVED JAW ACME
	21075	CLAMP, GROUNDING, ALUM "C" SMOOTH, 2.0" CURVED JAW ACME
	21954	CLAMP, GROUNDING, "C", 2", W/CONTACT STUD
	4240	CLAMP, GROUNDING, ALUM C, SMOOTH, ACME 2.4" W/O SRS
	4290	CLAMP GRD C 2.4 CBL PENETRATING SMOOTH JAW
	4377	CLAMP, GROUNDING, ALUM. C, SMOOTH, 2.4" MAX. OVAL EYE

BODY	"C" CLAMP BODY ONLY, ALUM, 1.5"	
	Cat. No.	Description
	1895	CLAMP, GROUNDING, ALUM "C", SERRATED, 1.5"
	1896	CLAMP, GROUNDING,ALUM "C',SERRATED, 1.5", MTD-6ft
	21099	CLAMP, GROUNDING, ALUM "C',SERRATED, 1.5", W/ T-HNDL
	2195	CLAMP, GROUNDING, ALUM "C", SERRATED, 1.5", W/O SRS
	21952	CLAMP GROUNDING, ALUM "C' SERRATED, 1.5", W/O SRS
	24549	CLAMP, GROUNDING, ALUM "C',SERRATED, 1.5", MTD-8ft
	2607	CLAMP GROUNDING C SER 1.5" CBL PENETRATING SERRATED JAW

BODY	"C" CLAMP BODY ONLY, ALUM, 1.25"	
	Cat. No.	Description
	24410	CLAMP, GROUNDING, ALUM "C', 1.25", SMOOTH

BODY	DUCKBILL CLAMP BODY, ALUM, 1.6"	
	Cat. No.	Description
	1853	CLAMP, GROUNDING, ALUM DB, SERRATED, 1.6"
	2553	CLAMP, GROUNDING, ALUM DB, SERRATED, 1.6", W/O SRS
	1855	CLAMP, GROUNDING, ALUM DB, SERRATED, 1.6", MTD-6FT

BODY	DUCKBILL CLAMP BODY, ALUM, 1"	
	Cat. No.	Description
	21030	CLAMP, GROUNDING, ALUM DB, SOOTH, 1"
	21059	CLAMP, GROUNDING, ALUM DB, SMOOTH, 1", W/O SRS
	21081	CLAMP, GROUNDING, ALUM DB, SOOTH, 1", MTD-6FT

SALISBURY
by Honeywell

101 E. Crossroads Pkwy., Ste. A Bolingbrook, IL 60440 toll free ph (USA):877.406.4501 toll free fax (USA):866.824.4922 ph:630.343.3800

Salisbury by Honeywell © 2009 Honeywell International Inc. All Rights Reserved.

NEW STRAIN RELIEF ATTACHMENT

NEW ADVANCEMENT IN GROUNDING CLAMPS

FROM SALISBURY

GROUNDING CLAMPS THAT INCLUDE NEW DESIGN

BODY	"C" CLAMP BODY ONLY, BRZ, 1"	
	Cat. No.	Description
	21150	CLAMP, GROUNDING, C, BRONZE, SER, 1" W/O SRS
	2937	CLAMP, GROUNDING, BRONZE. C, SERRATED, 1" , W/O SRS
	4187	CLAMP GROUNDING, BRONZE C, SERRATED, 750 MAX
	4242	CLAMP, GROUNDING, BRONZE C, SMOOTH, WYW/TEE HANDLE
	9985	CLAMP, GROUNDING, BRONZE C, SMOOTH, 795 MCM MAX
	4280	CLAMP, GROUNDING, BRONZE C

BODY	"C" CLAMP BODY ONLY, BRZ, 1" W/O BIL	
	Cat. No.	Description
	20697	CLAMP, GROUNDING, BRONZE C 1" W/O BIL

BODY	FOUR WAY CONNECTOR BODY FOR THREADED FERRULES	
	Cat. No.	Description
	2374	FOUR WAY CONNECTOR FOR THREADED FERRULES

BODY	CLAMP BODY ONLY, BRONZE C, SMOOTH, 477MCM MAX	
	Cat. No.	Description
	4200	CLAMP GROUNDING, BRONZE C, SMOOTH, 477MCM MAX
	21067	CLAMP, GROUNDING, BRONZE C, SMOOTH, 477MCM MAX, W/O SRS
	21068	CLAMP, GROUONDING, BRONZE C, 477MCM MAX, W/O SRS
	4260	CLAMP, GROUNDING, BRONZE C, SERRATED, 477 MAX

BODY	CLAMP BODY ONLY, BALL SOCKET, BRZ	
	Cat. No.	Description
	21190	SOCKET CLAMP, WITH STRAIN RELIEF SLEEVE
	21277	SOCKET CLAMP, W/O STRAIN RELIEF SLEEVE

NEW DESIGN UPDATED AS OF 2008

BODY	CLAMP BODY ONLY, ALUM "C" 1"	
	Cat. No.	Description
	24548	CLAMP, GROUNDING, "C", 1", CV, JAM-MTD-8'
	2531	CLAMP, GROUNDING, ALUM. C, SMOOTH, 795MCM MAX.
	2532	CLAMP, GROUNDING, ALUM. C, SMOOTH, 795MCM MAX. W/O SLEEVE
	2533	CLAMP, GROUNDING, ALUM. C, SMOOTH, 795MCM MAX. W/O SLEEVE
	4388	CLUSTER, GROUNDING, 4 WIRE, W/6 2531 CLAMPS
	4389	CLAMP, GROUNDING, ALUM. C, SMOOTH, 1" MAX. ACME W/O SRS
	9993	CLAMP, GROUNDING ALUMINUM, C WITH T/EYE SCREW
BODY	CLAMP BODY ONLY, FLAT JAW, BRZ	
	Cat. No.	Description
	1814	CLAMP, GROUNDING, BRONZE FLAT JAW W/ "T" HANDLE
	1815	CLAMP, GROUNDING, BRONZE FLAT JAW W/ EYE
BODY	CLAMP BODY ONLY, BRNZ, "C", 1.25	
	Cat. No.	Description
	1897	CLAMP, GROUNDING, BRONZE, "C", 1.25 W/O SRS
	21069	CLAMP, GROUNDING, BRONZE, "C", 1.25 W/O SRS, CURVED JAW
	21070	CLAMP, GROUNDING, BRONZE, "C", SERRATED, 1.25 W/O SRS
	4255	CLAMP, GROUNDING, BRONZE, "C", 1.25, CURVED JAW
	4279	CLAMP, GROUNDING, BRONZE, "C", SERRATED, 1.25
	9984	CLAMP, GROUNDING, BRONZE, "C", 1.25
BODY	CLAMP BODY ONLY, ALUM, "C", 3.5"	
	Cat. No.	Description
	4282	CLAMP, GROUNDING, ALUM, "C", 3.5"
	4341	CLAMP, GROUNDING, ALUM, "C", 3.5" W/LONG EYESCREW

SALISBURY
by Honeywell

101 E. Crossroads Pkwy., Ste. A Bolingbrook, IL 60440 toll free ph (USA):877.406.4501 toll free fax (USA):866.824.4922 ph:630.343.3800

Salisbury by Honeywell © 2009 Honeywell International Inc. All Rights Reserved.